


Sample Site, Sample Street, Sample Town, XX1 1XX, England

Site area: 14842 m²

Prepared for
Current use
Proposed use
Transaction type

Law firm LLP
Commercial
Commercial
Assumed purchase



	Contaminated land	Page 2	Passed
	Operational compliance		Not Identified
	Flood	Page 2	Further Action
	Ground stability	Page 7	Identified
	Radon	Page 8	Not Identified

Authored by
Consultant Name

Consultant.Name@landmark.co.uk
 0000 000000



Contaminated land summary

Passed ✓



Flood summary

Further Action ⚠

Overall risk of contaminants from **on-site** activities

Low to moderate

Risk of contaminants from **off-site** activities impacting the site

Moderate

Environmental sensitivity (pathways and receptors) rating

Moderate



Liability assessment

Within the scope of this assessment no Liabilities have been identified. No further action is required

Recommendation

No action required

Operational Compliance

The Site does not appear to be engaged in activities that require permitting

Would a **Flood Risk Assessment** be required if development was proposed?

Yes

What is the risk of river/coastal flooding in an undefended **scenario or assuming defences fail?**

Moderate to high

Are there existing **flood defences** within **500m** of the Site?

Yes

What is the risk of flooding when these defences are operational?

Moderate to high



Professional opinion

We have identified a significant risk of flooding. We recommend you undertake the action outlined.

Recommendation

Flood Solutions Consult (from £450.00 + VAT)

Risk: The Site is at significant risk of surface water flooding.


Action: Understand risk by assessing the potential flood depths. This will reassess the extent of risk and inform the best strategy to protect against any future flooding.

Insurance

Insurance terms may not easily be available without a high premium or excess

 Contaminated land: consultant’s commentary

Passed 



Risk	On-site	Off-site
 Multiple features present		
  Authorised industrial processes	Not Identified	Identified
  Landfill and waste	Not Identified	Not Identified
  Incidents and enforcements	Not Identified	Not Identified
  Current land uses	Not Identified	Not Identified
  Historical land uses	Identified	Identified

On-site Low to moderate

 **Historical map review:**
A review of historical maps shows the Site existed as open land in the earliest available map edition, dated 1879, with a farm and pond in the east. The farm was cleared c.1899. The pond was infilled c.1976, and the Site remained vacant until c.1985 when it was developed into an office building.

Off-site Moderate

 **Historical map review:**
A review of historical maps dating from 1879 shows the following potentially contaminative uses within 100m of the Site: the aforementioned farm and infilled pond extending off-site, various works from adjacent north with associated tanks, and an electrical substation 15m east.

Environmental data:
We have identified numerous Integrated Pollution Prevention Control (IPPC) and Integrated Pollution Control (IPC) permits for various combustion processes associated with the wider industrial area. Further details can be found in the data section of this report.

Contaminated land: consultant's commentary

Passed 



Pathways and receptors

Moderate



The general area appears to be in commercial and industrial use, with no residential properties located within 100m

No superficial deposits have been identified underlying the Site. The bedrock hydrogeology is classified as Unproductive Strata.

The Site does not lie within a groundwater Source Protection Zone (SPZ).

There are no non-potable abstraction licences within 100m.

There are no potable abstraction licences within 500m.

The nearest watercourse is a drainage channel 15m west.

Finally, no designated eco-receptors were identified within a 500m radius of the Site.




Additional sources of information

No additional sources of information have been used.

Risk	Search radius	Result
 Multiple features present		
 Water Features	100m	Identified
 Groundwater Vulnerability	On-site	Identified
 Abstraction Sensitivity	500m	Not Identified
 Environmental Designations	500m	Not Identified

Flood: consultant's commentary

Further Action



■ River & coastal: River	Very Low
■ River & coastal: Coastal	Very Low
■ <u>Surface water</u>	Moderate to High
■ Groundwater	Very Low
■ <u>Other</u>	Low to Moderate

Surface water

Low lying areas in the south are at risk from surface water flooding. Depths may range between 0.3-1m during a flood event.

Other

A drainage channel is located 15m west. Given the size and nature of this watercourse it is unlikely to present a significant risk.

Flood: other considerations

Dam and reservoir failure

Not Identified

Dam and reservoir failure

The Site is not within an area that would be flooded in the event of significant infrastructure failure.

Recommendation

No action required

Flood risk management options

Flood protection measures can help manage risk, while planning for a flood event is key to minimise impact and disruption. Where a risk has been identified, the best next step is to better understand the flood depths and likely extent.

Refining the risk will then inform the right solution. Where property level protection is still required, a surveyor will be best placed to advise on the configuration.

Options	Summary
Resistance	Flood resistance measures are physical barriers designed to keep water out of the property and can either be mountable or passive. They include flood doors or guards, non return valves on plumbing and airbrick covers. If buying products, make sure they are kitemarked.
Resilience	Flood resilience measures are incorporated into building design to minimise damage. Once flood water subsides a resilient design avoids a major drying out spell or gutting.
Business continuity plan	A business continuity plan is a strategic plan of action to implement in an emergency (i.e. flood event). This plan ensures a business can continue to operate during emergency situations and reduces the risk of avoidable losses.
Flood evacuation plan	A flood evacuation plan sets out clear steps to ensure the safe evacuation of staff during a flood. It will form part of the Business Continuity Plan. Report

 Ground stability

Identified 



Risk	Search radius	Result
 Multiple features present		
 Man-made hazards	On-site	Identified (1)
 Natural hazards	Mixed	Not Identified
 Mining	Mixed	Not Identified
 Brine and Salt	On-site	Not Identified

Summary

We have identified a risk of ground stability hazards at the site.

Recommendations

- 1 We recommend that you consult a local RICS accredited surveyor to arrange a survey for any properties on the site. The survey should assess whether any properties are affected by ground stability issues.
- 2 If any on-site properties have been built recently, contact Building Control at the Local Authority in order to check whether they were constructed to a standard that will minimise the risk of structural damage. Alternatively, the properties may benefit from building warranty through companies such as the NHBC.
- 3 Further information may be available from the Minerals and Waste Officer at the County Council and the Local Building Controls Officer.
- 4 If any active ground instability appears to be affecting properties on the site, inform your insurance company, mortgage lender, landlord or get specialist advice from a suitably qualified expert such as a structural surveyor, geotechnical engineer or chartered engineering geologist. If active ground instability does not appear to be affecting any on-site properties but the area has a potential for instability, this should be taken into account before undertaking any alterations to the existing properties, or the construction of new ones.

☢ Radon

Not Identified ✓



Summary

The site is not in a radon affected area. Less than 1% of buildings are estimated to be at or above the action level.

Recommendations

- 1 The result is only valid for sites above ground. All basements and cellars are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living accommodation, the site should be tested regardless of the radon affected area status.
- 2 No protective measures are considered necessary in the construction of new buildings or extensions.

Data appendix

This section provides information on features and hazards that inform the previous sections. **We will only show maps and detail where hazards or features have been identified in the search buffer for the section.** There's no need to read this section unless you're after more detail.

For information on the limitations of the report, our terms and conditions, consumer protection and useful information, please see the Appendices which follow.

Understanding the data	11
Datasets searched	13
Contaminated land	
Authorised industrial processes	15
Landfill and waste	Not identified
Incidents & enforcements	Not identified
Current land uses	Not identified
Historical land uses	20
Water features	22
Groundwater vulnerability	24
Abstraction sensitivity	Not identified
Environmental designations	Not identified
Flood	
River and coastal	Not identified
Surface water	25
Groundwater	Not identified
Other	26

Ground stability

Man-made hazards		29
Natural factors		Not identified
Mining		Not identified
Brine and salt		Not identified

Understanding the data

Contaminated land

This section details the data used as part of our Contaminated Land Risk analysis. Each key dataset is mapped with the detail outlined in a table. We only show an appendix page with detail where we have found data to report. The relevant data has been reviewed by the report writer, supplemented by a review of historical mapping.

Search distances and buffer zones vary based on the scale of the activity and regulatory guidance. These are detailed in the maps on the individual summary pages.

Data contents

Authorised industrial processes	Current and licensed activities relevant to contaminated land and environmental controls from a range of regulatory bodies.
Landfill and waste sites	Detailed information on waste and landfill sites for the Site and surrounding area.
Incidents and enforcements	Pollution incidents, licence enforcements and prosecutions. It also includes Contaminated Land Register Entries and Notices.
Current land use	Contemporary trade directories and fuel stations. This information is indicative of operations at the Site and surrounding area, and may also relate to inactive or former land uses.
Historical land use	Selected information on historical land use for the Site and surrounding area. The data shows historical land use information collected from 1:10,000 scale mapping, and for tanks and energy facilities 1:2,500 scale mapping. This includes polygon and point based land uses digitised by Landmark.
Pathways and receptors	Information relating to the aquifer designations beneath the Site, water features, designated eco-receptors and sensitive area designations at the Site and in the surrounding area.

Flood

This section details the data used as part of our Flood Risk analysis. Each key source of flooding has the data mapped with the detail outlined beneath. All relevant data in this section has been reviewed by the report writer and taken into account in the overall analysis. As a result, the individual risks in the data below may vary from our overall opinion.

We present the data in three buffer zones, extending to a maximum of 500m.

Data contents

River and coastal flooding The data used to form our river and coastal flood risk analysis includes:

- **Flood Zones:** Created for land-use planning, Flood Zones map the likelihood of flooding assuming no defences are present, fail or are over-topped. This data is presented as FZ1, FZ2 or FZ3.
- **Risk of Flooding from Rivers and Seas (RoFRS):** Provides an indication of flood risk taking into account the presence of defences and the level of protection they offer.
- **Flood Defences:** Recorded by the regulatory body, and includes defence type and standard of protection.
- **Areas Benefiting from Flood Defences:** Areas defined as having protection of at least 1 in 100 for river and 1 in 200 for coastal.
- **Flood Storage Areas:** Areas that store floodwater during flood events

Surface water flooding We present the risk of surface water flooding in three separate return periods:

- 1:75
- 1:200
- 1:1000

Groundwater flooding The data takes into account the two key mechanisms of groundwater flooding; clearwater and permeable superficial deposits.

Other factors This section accounts for risk that is not tied to modelled data. It includes historical floods, proximity to water features and elevation above both of these features.

Ground stability

This section provides information on a range of ground stability issues; either naturally occurring or arising from previous mining activity.

We search a number of different sources of information to identify areas of past mining and infilling, including historical mapping. We also consider areas of land that could be prone to ground instability and subsidence as a result of the natural underlying geology.

Understanding the data

Radon

This information is an estimate of the probability that a property in Great Britain is at or above the "Action Level" for radon (the level at which UK Health Security Agency recommends that radon levels should be reduced, those with an average of 200 Bq m⁻³ or more).

Datasets searched

Contaminated land

Authorised industrial processes

Local Authority Pollution Prevention and Controls
 Planning Hazardous Substance Consents
 Control of Major Accident Hazards Sites (COMAH)
 Notification of Installations Handling Hazardous Substances (NIHHS)
 Explosive sites
 Integrated Pollution Controls
 Registered Radioactive Substances
 Water Industry Act Referrals
 Discharge Consents
 Integrated Pollution Prevention and Control
 Local Authority Integrated Pollution Prevention and Control

Landfill and waste sites

Registered Waste Treatment or Disposal Sites
 Registered Waste Transfer Sites
 BGS Recorded Landfill Sites
 Registered Landfill Sites
 Licensed Waste Management Facilities (Landfill Boundaries)
 Local Authority Recorded Landfill Sites
 Historical Landfill Sites
 Licensed Waste Management Facilities (Locations)

Incidents and enforcements

Enforcement and Prohibition Notices
 Prosecutions Relating to Authorised Processes
 Planning Hazardous Substance Enforcements
 Prosecutions Relating to Controlled Waters
 Local Authority Pollution Prevention and Control Enforcements
 Prosecutions (Post 2000)

Contaminated Land Register Entries and Notices
 Substantiated Pollution Incident Register

Historical land use

Potentially Contaminative Industrial Uses (Past Land Use)
 Potentially Infilled Land (Non-Water)
 Potentially Infilled Land (Water)
 Historical Tanks And Energy Facilities

Current land use

Fuel Station Entries
 Contemporary Trade Directory Entries

Water features

OS VMD- water Features
 OS MM Water Network

Groundwater vulnerability

Bedrock Aquifer Designations
 Superficial Aquifer Designations
 Scottish Bedrock Aquifer Productivity
 Scottish Superficial Aquifer Productivity

Abstraction sensitivity

Water Abstractions
 Source Protection Zones

Environmental designations

National Nature Reserves
 Local Nature Reserves
 Marine Nature Reserves
 Sites of Special Scientific Interest
 National Parks
 Ramsar Sites
 Special Areas of Conservation
 Special Protection Areas

Flood

River and coastal flooding

Flooding from Rivers or Sea without Defences
 Extreme Flooding from Rivers or Sea without Defences
 Risk of Flooding from Rivers or Sea (RoFRS)
 Flood Defences (with attributes)
 Flood Map: Areas Benefitting from Flood Defences

Surface water flooding

JBA Pluvial 75 Depths
 JBA Pluvial 200 Depths
 JBA Pluvial 1000 Depths

Groundwater flooding

Groundwater Flood Risk 5m
 JBA Pluvial 75 Depths
 Flooding from Rivers or Sea without Defences

Other

Flood Water Storage Areas
 Historic Flood Events
 VMD Water Features

Datasets searched

OS MasterMap Water Network
OS Terrain 5 DTM
JBA Dam Break
JBA Dam Break - Coverage

Radon

Radon

Radon Potential

Ground stability

Natural hazards

Potential for Landslide Ground Stability Hazards
Potential for Ground Dissolution Stability Hazards
Potential for Compressible Ground Stability Hazards
Potential for Shrinking or Swelling Clay Ground Stability Hazards
Potential for Running Sand Ground Stability Hazards
Potential for Collapsible Ground Stability Hazards
Natural Cavities

Man-made hazards

BGS Recorded Landfill Sites
Potentially Contaminative Industrial Uses (Past Land Use)
Former Marshes
Potentially Infilled Land (Non-Water)
Potentially Infilled Land (Water)
Registered Landfill Sites
Licensed Waste Management Facilities (Landfill Boundaries)
Local Authority Recorded Landfill Sites
Historical Landfill Sites

Brine and salt


CBSCB Compensation District
Brine Pumping Related Features
Salt Mining Related Features
Brine Subsidence Solution Area

Mining

BGS Recorded Mineral Sites
Potentially Contaminative Industrial Uses (Past Land Use)
Non-Coal Mining Areas of Great Britain
Mining Instability
Potentially Contaminative Land Uses from large scale historical mapping
Potential Mining Areas
Man-Made Mining Cavities

Contaminated land: Authorised industrial processes

[← Back to summary](#)



Off-site			
Id	Details	Distance	Contact
Integrated pollution controls			
1	Permit Ref.: BD5194 Permit Type: Combustion Processes Process: 1.3 A (A) Combustion processes within the Fuel & Power Industry Operator: Scottish And Newcastle Uk Ltd Permit Issued: 1998-11-24 Status: Revoked - Now IPPC Address: Berkshire Brewery Imperial Way READING Berkshire RG2 0PN Positional Accuracy: Automatically positioned in the proximity of the address Source: Environment Agency	56m S	4

Contaminated land: Authorised industrial processes

[← Back to summary](#)

Off-site			
Id	Details	Distance	Contact
Integrated pollution controls			
1	Permit Ref.: AG1441 Permit Type: Combustion Processes Process: 1.3 A (A) Combustion processes within the Fuel & Power Industry Operator: Courage Ltd Permit Issued: 1992-08-03 Status: Application received by HMIP but is not yet authorised Address: Berkshire Brewery Imperial Way READING RG2 0PN Positional Accuracy: Automatically positioned in the proximity of the address Source: Environment Agency	57m S	4

Off-site			
Id	Details	Distance	Contact
Integrated pollution controls			
1	Permit Ref.: AU9608 Permit Type: Combustion Processes Process: 1.3 A (A) Combustion processes within the Fuel & Power Industry Operator: Scottish And Newcastle Uk Ltd Permit Issued: 1996-03-06 Status: Authorisation superseded by a substantial or non substantial variation Address: Berkshire Brewery Imperial Way READING Berkshire RG2 0PN Positional Accuracy: Automatically positioned in the proximity of the address Source: Environment Agency	61m S	4

Contaminated land: Authorised industrial processes

[← Back to summary](#)

Off-site			
Id	Details	Distance	Contact
Integrated pollution controls			
1	Permit Ref.: AA8508 Permit Type: Combustion Processes Process: 1.3 A (A) Combustion processes within the Fuel & Power Industry Operator: Scottish And Newcastle Uk Ltd Permit Issued: 1992-05-29 Status: Authorisation superseded by a substantial or non substantial variation Address: Berkshire Brewery Imperial Way READING Berkshire RG2 0PN Positional Accuracy: Automatically positioned in the proximity of the address Source: Environment Agency	62m S	4

Off-site			
Id	Details	Distance	Contact
Integrated pollution prevention and control			
2	Permit Ref.: BP5344IH Local Authority: Reading Borough Council Operator: Scottish & Newcastle Uk Limited Permit Issued: 2006-02-20 Status: Superseded By Variation Address: Berkshire Brewery, Reading Imperial Way Basingstoke Road,, Reading Berkshire RG2 0PN Positional Accuracy: Automatically positioned to the address Source: Environment Agency - South East Region	75m SW	4
2	Permit Ref.: ZP3339XK Local Authority: Reading Borough Council Operator: Dalkia Utilities Services Plc Permit Issued: 2007-12-20 Status: Superseded By Variation Address: Berkshire Brewery Imperial Way Reading RG2 0PN Positional Accuracy: Automatically positioned to the address Source: Environment Agency	75m SW	4

Contaminated land: Authorised industrial processes

[← Back to summary](#)

Off-site			
Id	Details	Distance	Contact
Integrated pollution prevention and control			
2	Permit Ref.: Bp5344ih Local Authority: Reading Borough Council Operator: Heineken Uk Limited Permit Issued: 2011-07-25 Status: Surrendered Address: Berkshire Brewery, Reading Imperial Way,Berkshire Brewery, Reading Basingstoke Road Reading RG2 0PN Positional Accuracy: Automatically positioned to the address Source: Environment Agency	75m SW	4
2	Permit Ref.: TP3834TJ Local Authority: Reading Borough Council Operator: Heineken Uk Limited Permit Issued: 2011-07-25 Status: Surrendered Address: Berkshire Brewery, Reading Imperial Way,Berkshire Brewery, Reading Basingstoke Road Reading RG2 0PN Positional Accuracy: Automatically positioned to the address Source: Environment Agency	75m SW	4

Off-site			
Id	Details	Distance	Contact
Integrated pollution prevention and control			
2	Permit Ref.: Zp3635sb Local Authority: Reading Borough Council Operator: Veolia Energy & Utility Services Uk Limited Permit Issued: 2007-12-20 Status: Superseded Address: Berkshire Brewery, Reading Imperial Way,Berkshire Brewery, Reading Basingstoke Road Reading RG2 0PN Positional Accuracy: Automatically positioned to the address Source: Environment Agency	75m SW	4
2	Permit Ref.: ZP3339XK Local Authority: Reading Borough Council Operator: Dalkia Utilities Services Plc Permit Issued: 2007-12-20 Status: Superseded By Variation Address: Berkshire Brewery, Reading Imperial Way Basingstoke Road,, Reading Berkshire RG2 0PN Positional Accuracy: Automatically positioned to the address Source: Environment Agency - South East Region	75m SW	4

Contaminated land: Authorised industrial processes


[← Back to summary](#)

Off-site			
Id	Details	Distance	Contact
Integrated pollution prevention and control			
2	Permit Ref.: NP3339FS Local Authority: Reading Borough Council Operator: Heineken Uk Ltd Permit Issued: Status: Surrender Effective Address: Berkshire Brewery, Reading Imperial Way Basingstoke Road,, Reading Berkshire RG2 0PN Positional Accuracy: Automatically positioned to the address Source: Environment Agency - South East Region	75m SW	4
2	Permit Ref.: NP3539FX Local Authority: Reading Borough Council Operator: Heineken Uk Ltd Permit Issued: Status: Surrender Effective Address: Berkshire Brewery, Reading Imperial Way Basingstoke Road,, Reading Berkshire RG2 0PN Positional Accuracy: Automatically positioned to the address Source: Environment Agency - South East Region	75m SW	4

Off-site			
Id	Details	Distance	Contact
Integrated pollution prevention and control			
2	Permit Ref.: TP3834TJ Local Authority: Reading Borough Council Operator: Heineken Uk Ltd Permit Issued: 2010-06-15 Status: Superseded By Variation Address: Berkshire Brewery, Reading Imperial Way Basingstoke Road,, Reading Berkshire RG2 0PN Positional Accuracy: Automatically positioned to the address Source: Environment Agency - South East Region	75m SW	4
2	Permit Ref.: ZP3635SB Local Authority: Reading Borough Council Operator: Dalkia Utilities Services Plc Permit Issued: 2006-02-20 Status: Superseded By Variation Address: Berkshire Brewery, Reading Imperial Way Basingstoke Road,, Reading Berkshire RG2 0PN Positional Accuracy: Automatically positioned to the address Source: Environment Agency - South East Region	75m SW	4

Contaminated land: Historical land uses

[← Back to summary](#)



On-site			
Id	Details	Distance	Contact
Potentially contaminative industrial uses (past land use)			
4	Usage Summary: Factory or works - use not specified Map Published: 1990	0m N	2
Potentially in-filled land (water)			
3	Description: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Map Published: 1913	0m N	2

Off-site			
Id	Details	Distance	Contact
Potentially contaminative industrial uses (past land use)			
6	Usage Summary: Brewing & malting Map Published: 1990	31m W	2
Potentially in-filled land (water)			
5	Description: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Map Published: 1961	22m W	2
7	Description: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Map Published: 1913	40m NE	2

Contaminated land: Historical land uses

[← Back to summary.](#)

Off-site			
Id	Details	Distance	Contact
Historical tanks and energy facilities			
8	Description: Tanks Positional Accuracy: Positioned to location of cartographic text	65m NW	2

Contaminated land: Water features

[← Back to summary.](#)



Water features

Details	Distance	Contact
---------	----------	---------

OS vectormap district water features

Type: SURFACE WATER AREA Data Provider: Ordnance Survey	54m NW	1
Type: SURFACE WATER AREA Data Provider: Ordnance Survey	94m SW	1

OS mastermap water network

Name: Type: inlandRiver Level: Data Provider: Ordnance Survey	17m W	1
Name: Type: inlandRiver Level: Data Provider: Ordnance Survey	24m W	1
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	30m NW	1
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	39m SW	1
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	43m W	1

Contaminated land: Water features

[← Back to summary](#)

Water features		
Details	Distance	Contact
OS mastermap water network		
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	45m SW	1
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	55m NW	1
Name: Type: inlandRiver Level: underground Data Provider: Ordnance Survey	75m SW	1
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	90m S	1
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	96m SW	1

Contaminated land: Groundwater vulnerability

[← Back to summary](#)



Groundwater vulnerability

Id	Details	Distance	Contact
Bedrock aquifer designations			
9	Aquifer Type: Unproductive Strata Source: Environment Agency	0m N	4

- Bedrock

Principal Aquifer

Secondary Aquifer A

Secondary Aquifer B

Secondary Aquifer Undifferentiated

Unproductive Strata
- Unknown

Superficial

Principal Aquifer

Secondary Aquifer A

Secondary Aquifer B

Secondary Aquifer Undifferentiated
- Unproductive Strata

Unknown

Unknown (lakes and landslips)

Flood: Surface water

[← Back to summary](#)



1:75 return period	Distance	Result
< 0.1m	On-site	Not Identified
0.1-0.3m	On-site	Not Identified
0.3-1m	On-site	Not Identified
> 1m	On-site	Identified

1:200 return period	Distance	Result
< 0.1m	On-site	Not Identified
0.1-0.3m	On-site	Not Identified
0.3-1m	On-site	Not Identified
> 1m	On-site	Identified

1:1000 return period	Distance	Result
0.3-1m	On-site	Not Identified
> 1m	On-site	Identified

Flood: Other

[← Back to summary](#)

Risk	Search radius	Result
Historic flood events	50m	Not Identified
Flood water storage areas	On-site	Not Identified
Water features	25m	Identified

Historic flood events

Details	Distance	Contact
Flood Event Type: Historic Flood Event - Fluvial Flood Start Date: 2002-12-23 Flood End Date: 2003-01-12 Flood Source: Main River Flood Cause: Channel Capacity Exceeded (no raised defences) Data Provider: Environment Agency	241m NW	4
Flood Event Type: Historic Flood Event - Fluvial Flood Start Date: 1971-01-01 Flood End Date: 1971-12-12 Flood Source: Main River Flood Cause: Channel Capacity Exceeded (no raised defences) Data Provider: Environment Agency	309m NW	4
Flood Event Type: Historic Flood Event - Fluvial Flood Start Date: 2002-12-23 Flood End Date: 2003-01-12 Flood Source: Main River Flood Cause: Channel Capacity Exceeded (no raised defences) Data Provider: Environment Agency	421m W	4

Water features

Details	Distance	Contact
Type: SURFACE WATER AREA Data Provider: Ordnance Survey	54m NW	1

Flood: Other

[← Back to summary.](#)

Water features		
Details	Distance	Contact
Type: SURFACE WATER AREA Data Provider: Ordnance Survey	94m SW	1
Type: SURFACE WATER AREA Data Provider: Ordnance Survey	119m SW	1
Type: SURFACE WATER AREA Data Provider: Ordnance Survey	202m SW	1
Type: SURFACE WATER AREA Data Provider: Ordnance Survey	239m NW	1
Type: SURFACE WATER AREA Data Provider: Ordnance Survey	281m NW	1
Type: SURFACE WATER AREA Data Provider: Ordnance Survey	290m S	1
Type: SURFACE WATER AREA Data Provider: Ordnance Survey	324m W	1
Type: SURFACE WATER AREA Data Provider: Ordnance Survey	327m S	1
Type: SURFACE WATER AREA Data Provider: Ordnance Survey	334m NW	1
Type: SURFACE WATER AREA Data Provider: Ordnance Survey	402m S	1
Type: SURFACE WATER AREA Data Provider: Ordnance Survey	465m W	1

Water features		
Details	Distance	Contact
Name: Type: inlandRiver Level: Data Provider: Ordnance Survey	17m W	1
Name: Type: inlandRiver Level: Data Provider: Ordnance Survey	24m W	1
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	30m NW	1
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	39m SW	1
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	43m W	1
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	45m SW	1
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	55m NW	1

Flood: Other

[← Back to summary](#)

Water features		
Details	Distance	Contact
Name: Type: inlandRiver Level: underground Data Provider: Ordnance Survey	75m SW	1
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	90m S	1
Name: Type: inlandRiver Level: onGroundSurface Data Provider: Ordnance Survey	96m SW	1

Ground stability: Man-made hazards

[← Back to summary](#)



- Multiple features present
- Potentially infilled land (water)
- Potentially infilled land (non-water)
- Disturbed ground from historical maps
- Licensed waste management facilities
- BGS recorded landfill sites
- Local authority recorded landfill sites
- Registered landfill sites
- Historical landfill sites
- Former marshes

Man-made hazards

Id	Details	Distance	Contact
Potentially infilled land (water)			
3	Description: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Map Published: 1913	0m N	2
5	Description: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Map Published: 1961	22m W	2
7	Description: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Map Published: 1913	40m NE	2
10	Description: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Map Published: 1961	105m SW	2
11	Description: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Map Published: 1961	148m SW	2
12	Description: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Map Published: 1961	160m E	2

Appendices

Report limitations	31
Methodology	32
Useful contacts	34
Important consumer protection information	35
Terms and conditions and copyright statement	36

Report limitations

Site Solutions Combined reports help you and your clients make informed property decisions. Our reports are 'desktop' assessments, written and quality checked by our team of expert consultants. We carry out the work in our Brighton office using data, maps and our expertise.

The report is a desktop review of information provided by the client and from selected private and public databases. It does not include a site investigation, nor are specific information requests made of the regulatory authorities for any relevant information. Therefore, Landmark cannot guarantee that all issues of concern will be identified by this report, or that the data and information supplied to it by third parties is accurate and complete. We do not accept responsibility for inaccurate data provided by external data providers.

The methodology for the contaminated land risk assessment and the conclusions drawn therefrom are the responsibility of Landmark Information Group Ltd.

Flood data does not include flood risk from very small catchments, as models of such small-scale catchments are not considered to be reliable for UK-wide flood assessments.

This report is not designed to be printed. Please store it securely online, and consider the environment before you print.

Methodology

Contaminated land risk

For this section of the report we assess the condition of the land. We see whether the land could be 'Contaminated Land' under the relevant legislation. This section of the report meets the requirements for an independent site report. This is the recommendation of the Law Society Practice Note on Contaminated Land.

The main legislation is Part 2A of the Environmental Protection Act 1990. The Contaminated Land legislation asks whether a 'plausible contaminant-pathway-receptor relationship' exists. If we identify a relationship, then our consultants will assess the potential significance. We define Liabilities as the potential for remedial works under Part 2A of the Environmental Protection Act 1990.

If the Site is to have a change of use, then we also consider relevant requirements under the Planning Regime. It may be that the level of contamination will only become an issue if the Site is to be redeveloped. An example of this is when former industrial land is redeveloped for housing. If the Site is to be redeveloped then it could also include remedial works required under the planning regime. These remedial works may be the responsibility of the Site owner or occupier.

We will issue one of the following Liability statements, in line with Defra's recommended four stage test.

Assessment	Liability Statement	Defra Category
 Passed	Within the scope of this assessment no Liabilities have been identified. No further action is required.	3 or 4
 Passed with guidance	Within the scope of this assessment no Liabilities have been identified. However, your attention is drawn to the guidance suggested.	3 or 4
 Further action	We have identified potential soil and/or groundwater liabilities. To quantify these we recommend you undertake the action outlined below.	Potentially 1 or 2

The operational compliance section of the report considers whether the Site is, or is likely to be, engaged in activities that require environmental permits. If any active permits are identified on Site they will be listed in this section as well as considered in the on-site sources of the consultant's commentary. The overall outcome on the front page of the report is either 'Identified' or 'Not Identified'.

Flood risk

For this section of the report, we assess the risk of flooding at the Site. A Consultant will analyse the data within the report, and take into account factors such as source of flooding, extent, and which part of the Site is at risk (is it operationally sensitive).

Three key areas are addressed:

- the overall risk of flooding (taking into account defences)
- how flood risk affects the availability of insurance
- how flood risk affects the potential to redevelop

We report the overall risk in a summary statement, with the three outcomes listed below:

Assessment	Risk Statement
 Passed	Negligible, Low & Low-Moderate Risk: The Site is not considered to be at significant risk of flooding. No further action is deemed necessary. Recommendations: Some simple advice may be provided. Insurability: Insurance should be readily available.
 Passed with guidance	Moderate Risk: Data indicates some risk exists to the Site and its occupants. However, this is expected to be associated with an 'extreme' event. Recommendations: Practical advice will be provided. This may be to obtain further information or to write a flood preparation plan. Insurance: In most cases insurance should be readily available.
 Further Action	Moderate to High and High: This report reveals a significant risk of flooding which should be addressed. Recommendations: Further assessment is recommended to clarify the risk of flooding at the Site. This will inform whether flood protection measures should be installed. Insurance: Insurance may not be available without a higher premium or excess.

Methodology

An Argyll Consultant will write Site-specific commentary to summarise the risk. The purpose of this is to explain the drivers of the risk, and where possible, the extent and impact. This will be a non-technical account, explaining our assessment in simple terms. Our Consultants generate the risk assessment using several sources. This means the risk on the summary page will supersede any risk reported in the data section. We also consider the implications of flood risk under the National Planning Policy Framework (NPPF). We always provide a view on whether a Flood Risk Assessment would be required if development is proposed. Where the client lets us know that the Site is to be redeveloped, we provide recommendations on the most appropriate next step.

Radon methodology

This report informs you whether any properties on site are in a Radon Affected Area and the percentage of homes in that category that are estimated to be at or above the radon Action Level. This does not necessarily mean there is a radon problem in any onsite properties; the only way to find out whether any existing property is above or below the Action Level is to carry out a radon measurement.

Useful contacts

1 Ordnance Survey

Adanac Drive
Southampton
SO16 0AS

 www.ordnancesurvey.co.uk
 customerservices@ordnancesurvey.co.uk
 03456 05 05 05

2 Landmark Information Group Limited

Landmark Information Group
Imperium
Imperial Way
Reading
RG2 0TD

 www.landmark.co.uk
 helpdesk@landmark.co.uk
 0330 036 6619

3 British Geological Survey, Enquiry Service

British Geological Survey
Environmental Science Centre
Keyworth
Nottingham
NG12 5GG

 www.bgs.ac.uk
 enquiries@bgs.ac.uk
 0115 936 3143

4 Environment Agency, National Customer Contact Centre (NCCC)

PO Box 544
Templeborough
Rotherham
S60 1BY

 enquiries@environment-agency.gov.uk
 03708 506 506

5 Environment Agency, Head Office

Rio House
Waterside Drive
Aztec West, Almondsbury
Bristol
BS32 4UD

 01454 624400

Important consumer protection information



This search has been produced by:

Landmark Information Group Limited

Imperium
Imperial Way
Berkshire
RG2 0TD

✉ helpdesk@landmark.co.uk

☎ 0330 036 6619

Conveyancing Information Executive (CIE) standards

Landmark adheres to the Conveyancing Information Executive (CIE) standards

- Conveyancing Information Executive Members shall act in a professional and honest manner at all times in line with the Conveyancing Information Executive Standards and carry out the delivery of the Search with integrity and due care and skill.
- Compliance with the Conveyancing Information Executive Standards will be a condition within the Conveyancing Information Executive Member's Terms and Conditions.
- Conveyancing Information Executive Members will promote the benefits of and deliver the Search to the agreed standards and in the best interests of the customer and associated parties.
- The standards can be seen here: <http://www.conveyinfoexec.com>

Complaints

If you have a query or complaint about your search, you should raise it directly with the search firm, and if appropriate ask for any complaint to be considered under their formal internal complaints procedure. If you remain dissatisfied with the firm's final response, after your complaint has been formally considered, or if the firm has exceeded the response timescales, you may refer your complaint for consideration under The Property Ombudsman scheme (TPOs). The Ombudsman can award up to £5,000 to you if the Ombudsman finds that you have suffered actual financial loss and/or aggravation, distress or inconvenience as a result of your search provider failing to keep to the Standards. Please note that all queries or complaints regarding your search should be directed to your search provider in the first instance, not to TPO.

TPOs

The Property Ombudsman scheme
Milford House
43-55 Milford Street
Salisbury
Wiltshire SP1 2BP

🌐 www.tpos.co.uk

✉ admin@tpos.co.uk

☎ 01722 333306

Complaints procedure

If you want to make a complaint to Landmark, we will:

- Acknowledge it within 5 working days of receipt.
- Normally deal with it fully and provide a final response, in writing, within 20 working days of receipt.
- Keep you informed by letter, telephone or e-mail, as you prefer, if we need more time.
- Provide a final response, in writing, at the latest within 40 working days of receipt.
- Liaise, at your request, with anyone acting formally on your behalf.

Complaints should be sent to:

Customer Services Manager

Landmark Information
Imperium
Imperial Way
Reading
RG2 0TD

✉ helpdesk@landmark.co.uk

☎ 0330 036 6619

If you are not satisfied with our final response, or if we exceed the response timescales, you may refer the complaint to The Property Ombudsman. We will co-operate fully with the Ombudsman during an investigation and comply with his final decision

Terms and conditions and copyright statement

Argyll Environmental Terms and Conditions

Argyll Environmental Terms and Conditions for Site Solutions and Flood Solutions reports can be found here: <https://www.landmark.co.uk/wp-content/uploads/2022/07/Argyll-SiteSolutions-and-FloodSolutions-TsCs-3.5-Jan-2022.pdf>. Should you experience difficulties, please call our Customer Service Team on 0330 036 6619.

All rights reserved. You must not reproduce, store or transmit any part of this document unless you have our written permission. © Landmark Information Group Ltd.

Copyright statement

The data supplied for this Landmark Planning Report falls under the following copyrights

© Crown copyright and database rights 2025 OS AC0000813445

Contains OS data © Crown copyright and database rights 2025

This data contains address data (address 1, address 2, address 3, postcode) processed against Ordnance Survey's AddressBase Premium product, which incorporates Royal Mail's PAF® database (Address Data). The Department for Levelling Up, Housing & Communities has published the address data with the consent of Ordnance Survey and Royal Mail Group Limited; Ordnance Survey and Royal Mail Group Limited reserve all their respective copyright, database rights, trade marks and other intellectual property rights. Ordnance Survey and Royal Mail Group Limited permit the use of 'address data' solely for specific purposes related to the energy performance of buildings. All data fields other than the address and postcode data (address, address 1, address 2, address 3, postcode) available via this website are licensed under the Open Government Licence v3.0, which includes Ordnance Survey UPRNs.

Contains Data from British Geological Survey © UKRI. All rights reserved.

Contains Data from British Geological Survey © UKRI. Derived in part from UK Centre for Ecology and Hydrogeology data. All rights reserved.

Contains public sector information licensed under the Open Government Licence v3.0

Flood data provided by JBA Risk Management Limited. © Copyright JBA Risk Management Limited 2008-2025

© Crown Copyright and Landmark Information Group Limited 2025. All rights reserved.

© Environment Agency and database right 2025

© Landmark Information Group and/or its Data Suppliers 2025

© Environment Agency copyright and/or database right 2025. All rights reserved. Contains information © Local Authorities

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

© Stantec UK Limited 2025

© Cheshire Brine Subsidence Compensation Board 2025

The brine subsidence data relating to the Droitwich area as provided in this report is derived from JPB studies and physical monitoring undertaken annually over more than 35 years. For more detailed interpretation contact enquiries@jpb.co.uk. JPB retain the copyright and intellectual rights to this data and accept no liability for any loss or damage, including in direct or consequential loss, arising from the use of this data.

© GeoSmart Information Ltd.

Contains Data from British Geological Survey © UKRI. Derived in part from Environment Agency data. All rights reserved.

© 2025 Green Street

© 2025 118 Information - All Rights Reserved.

© Natural England copyright. Contains Ordnance Survey data © Crown copyright and database right 2025.

Contains Data from British Geological Survey © UKRI. Derived in part from UK Health Security Agency data. All rights reserved.